

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	("5328431" "5334118" "5474511" "5536227" "5628713" "5839996" "5876312" "6228002" "6379286").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/16 14:56
S1	0	("5334118,5474511,5484361,5690598,6503177,20040132593").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/14 09:12
S2	12	(5334118 5474511 5484361 5690598 6503177 20040132593).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/08 15:25
S3	31	("0647220" "0818242" "1956498" "2528213" "2714008" "2920418" "3414260" "3544106" "3545121" "3761083" "3938803" "4302008" "4623146" "4809975").PN. OR ("5334118").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/08 16:40
S4	1934	tube swage	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/08 16:40
S5	6536	tube swaged	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/08 16:40
S6	1363	tube swaged handle	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/08 16:41
S7	10	"482".clas. S6	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/08 16:41
S8	0	482/93,121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/09 11:54
S9	1015	(482/93,121).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/09 11:55
S10	1787588	482/93.ccls. 482/121.ccls. tube or rod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/09 11:57
S11	6	482/93.ccls. 482/121.ccls. (tube or rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/09 11:57

S12	187	"482".clas. adjustable near handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/13 10:32
S13	56	"482".clas. sliding near handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/13 10:52
S14	378	"482".clas. shock near absorber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/13 10:55
S15	255	"482".clas. shock near absorber (tube or rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/13 11:05
S16	33	"482".clas. O-ring bushing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/16 09:28
S17	437968	(tube or rod) inner outer diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/13 16:43
S18	89792	(tube or rod) inner outer diameter handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/13 16:43
S19	55403	(tube or rod) inner outer diameter handle spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/13 16:43
S20	1121	(tube or rod) inner outer diameter handle spring (shock near absorber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/13 16:44
S21	501	(tube or rod) inner same outer same diameter handle spring (shock near absorber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/13 16:47
S22	306	(tube or rod) same handle inner same outer same diameter spring (shock near absorber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/13 17:13

S23	318	(482/109,110,128).ccls. (tube or rod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/13 17:14
S24	35891	swag\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/14 15:53
S25	18416	swaged	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/14 09:13
S26	9639	(tube or rod) swaged	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/14 09:13
S27	5993	(tube or rod) same swaged	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/14 09:17
S28	881	(tube or rod) near swaged	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/14 09:23
S29	112	(tube or rod) near swaged handle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/14 11:02
S30	747	(482/106,108).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/14 11:02
S31	13	("2470816" "4312506" "4411423" "4634121" "4773641" "4869491" "5060933").PN. OR ("5449333").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/14 14:21
S32	12	("4252316" "4618142" "4647038" "5163887" "5464379" "5496243" "5591109" "5697871" "5911651" "6007268" "6315699").PN. OR ("6592499").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/14 14:22
S33	6	("3758109" "4743016" "5312314" "5328431" "5496244" "5653664").PN. OR ("6599222").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/14 14:23
S34	32	("0647220" "0818242" "1956498" "2528213" "2714008" "2719038" "2920418" "3544106" "3545121" "3756597" "3761083" "3938803" "4602788" "4623146" "4775149" "4787623" "4809975" "5121925" "5209481" "5334118" "5474511").PN. OR ("6228002").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/14 14:23
S35	12	("3545121").URPN.	USPAT	AND	ON	2005/09/14 14:25

S36	5	("3761083" "5569137" "5709630" "6390959" "6648804").PN. OR ("6857994").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/14 14:28
S37	13	("2470816" "4312506" "4411423" "4634121" "4773641" "4869491" "5060933").PN. OR ("5449333").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/14 14:28
S38	16	("3544106").PN. OR ("3761083").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/14 14:29
S39	31	("0647220" "0818242" "1956498" "2528213" "2714008" "2920418" "3414260" "3544106" "3545121" "3761083" "3938803" "4302008" "4623146" "4809975").PN. OR ("5334118").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/14 14:29
S40	10	("2528213").URPN.	USPAT	AND	ON	2005/09/14 14:30
S41	8	("1956498").URPN.	USPAT	AND	ON	2005/09/14 14:30
S42	19	("0937225" "1536048" "1991520" "4076236" "4566690" "4638994" "4681315").PN. OR ("5090693").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/14 14:31
S43	32	("0647220" "0818242" "1956498" "2528213" "2714008" "2719038" "2920418" "3544106" "3545121" "3756597" "3761083" "3938803" "4602788" "4623146" "4775149" "4787623" "4809975" "5121925" "5209481" "5334118" "5474511").PN. OR ("6228002").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/14 15:41
S48	13	dantolan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/14 16:46
S49	81	"482".clas. shock adj absorber bushing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/14 16:48
S50	67	"482".clas. shock adj absorber bushing spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/14 17:24
S53	250	pogo adj stick	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/15 10:11
S54	1009	"482".clas. barbell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/15 10:11
S58	214	(482/98).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/15 14:33

S59	36	"482".clas. o-ring same spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/15 14:34
S60	546	"482".clas. magnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/15 14:45
S61	292	S60 and weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/15 14:45
S62	87	"482".clas. magnet same weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/15 14:53
S63	634	"482".clas. (auxiliary or supplemental) weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/15 14:55
S64	280	"482".clas. (auxiliary or supplemental) same weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/15 14:56
S65	86	"482".clas. (auxiliary or supplemental) near weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/15 14:56
S66	17	("2554874" "3320564" "4935080" "4971305" "5040787" "5117141" "5137502" "5256121" "5267927" "5331062" "5344375" "5407413").PN. OR ("5735777"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/15 15:02
S67	22	("0272144" "3171652" "3254440" "4250596" "4382302" "4432504" "4576150" "4632389" "4693921" "4712793" "4787628").PN. OR ("5040787").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/09/15 15:06
S68	113	"482".clas. gasket	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/15 17:10
S69	2	("5788608").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/15 17:10

S70	13	"482".clas. O-ring same bushing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/16 10:19
S71	2066	"482".clas. (handle or handgrips) same spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/16 10:19
S72	111	"482".clas. (handle or handgrips) near spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/16 10:38
S73	1	"482".clas. (handle or handgrips) near (shock adj absorber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/16 10:39
S74	56	"482".clas. (handle or handgrips) same (shock adj absorber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	ON	2005/09/16 14:55